129. INDUSTRIAL HOUSING OFF LINE TWENTY ONE **CARTRIDGE**

Function:

Industrial housings are used in filtration in industrial applications.

Features:

• Material:

Contact parts: AISI 304 Std Non contact parts: AISI 304


- Elastomer: EPR Std
- Internal surface finish: Polished
- Cartridge connection: 222 and double open end
- Max. operating conditions. 10 kg/cm2 @121 C

Application:

- Ink filtration
- Steam filtration
- Solvent filtration
- Beverage equipment.
- Air filtration
- Gas filtration

- 100% stainless steel for durability.
- All stainless steel construction.
- Davit arm assembly is standard for easy cartridge replacement.
- Pipe fittings are readily accessible for easy installation.
- Adjustable top plate accepts variable length cartridges for more options.
- Two drains provided for clean and dirty fluids.
- Legs and mounting tabs are available.
- Knife edge seals are provided at both ends of all DOE cartridges for superior performance.
- Housings for pressures upto 20 kg/cm2 are also available on request.

ELEMENT	Α	В	
SIZE	in	in	
	mm mm		
30"	1573	1573 1384	
40"	1827	1638	





ORDERING INFORMATION:

Ex: Part # 129-1-1-1: Industrial OFF- line housing suitable for twenty one cartridge 222 and suitable for 30" element with Inlet and outlet NPT M and EPR O-ring.

129	1	1	1 :	1	
Product	Material	Cartridge	Element	Inlet/Outlet	O-ring
code	1-AISI 304	option	length	1: NPT threaded	1-EPR
	2-AISI 316	1-222	1-30"	2: 150 class ANSI	2-PTFE
		std	2-40"	flange	encapsulated
		2- DOE			silicon
	`	ENGINI	ZEDING COI	LITTONE	
		ENGINI	EERING SOI	JUTTUNS	

All dimensions are in mm. unless and otherwise specified.

The information contained in this brochure is for guidance only. We reserve the right to modify any material or feature without notice in advance. For further information, please, consult our application specialist.

Filename: 129_Industrial_housing_OFF_line_housing_twentyone_cartridge

Directory: C:\Users\user\Documents

Template:

C:\Users\user\AppData\Roaming\Microsoft\Templates\Normal.dot

m Title:

Subject:

Author: user

Keywords: Comments:

Creation Date: 24-06-2014 22:30:00

Change Number: 4

Last Saved On: 03-07-2014 17:16:00

Last Saved By: user
Total Editing Time: 7 Minutes

Last Printed On: 03-07-2014 17:17:00

As of Last Complete Printing Number of Pages: 2

Number of Words: 268 (approx.)

Number of Characters: 1,530 (approx.)