

130. INDUSTRIAL EC (Economy) HOUSING OFF-LINE FIVE CARTRIDGE

Function:

Industrial EC or Economy housings are economically viable housings that are used for filtration in industrial applications.

Features:


- Material:
 - Contact parts: AISI 304 Std
 - Non contact parts: AISI 304
- Elastomer: EPD Std
 - Internal surface finish: Polished
 - Cartridge connection: 222 and double open end
- Max. operating conditions: 10 bar@121 C

Application:

- Ink filtration
- Steam filtration
- Solvent filtration
- Beverage equipment.
- Air filtration
- Gas filtration

- 100% stainless steel for durability.
- All stainless steel construction.
- Convenient band clamp lid closure is standard for easy cartridge replacement.
- Pipe fittings are readily accessible for easy installation.
- Adjustable top plate accepts variable length cartridges for more options.
- Two drains provided for clean and dirty fluids.
- Legs and mounting tabs are available.
- Knife edge seals are provided at both ends of all DOE cartridges for superior performance.

ELEMENT SIZE	X in mm
10"	604
20"	858
30"	1112
40"	1366



GEOMETRY ENGINEERING INNOVATION

Contact: +91-9731300867; +91-9980344155; +91-9880521801; www.geiprocess.com

DOC DT000130 R0

ORDERING INFORMATION:

Ex: Part # 130-1-1-1: Industrial EC OFF- line housing suitable for five cartridge 222 and suitable for 20" element with Inlet and outlet NPT M and EPR O-ring.

130	1	1	1	1	1
-----	---	---	---	---	---

Product code	Material	Cartridge	Element length	Inlet/Outlet	O-ring
	1-AISI 304	option	1-10"	1: NPT threaded	1-EPR
	2-AISI 316	1-222	2-20"	2: 150 class ANSI	2-PTFE
		std	3-30"	flange	encapsulated
		2- DOE	4-40"		silicon

All dimensions are in mm. unless and otherwise specified.

The information contained in this brochure is for guidance only. We reserve the right to modify any material or feature without notice in advance. For further information, please, consult our application specialist.

Filename: 130_Industrial_EC_housing_OFF_line_housing_five_cartridge
Directory: C:\Windows\System32
Template: C:\Users\user\AppData\Roaming\Microsoft\Templates\Normal.dot

m
Title:
Subject:
Author: user
Keywords:
Comments:
Creation Date: 23-12-2013 22:48:00
Change Number: 9
Last Saved On: 03-07-2014 17:20:00
Last Saved By: user
Total Editing Time: 29 Minutes
Last Printed On: 05-07-2014 06:01:00

As of Last Complete Printing

Number of Pages: 2
Number of Words: 272 (approx.)
Number of Characters: 1,553 (approx.)