

144. TRICLAMP FEMALE ADAPTORS

Specifications:


Material: AISI 316L

Finish: Internal Polished

External: Mirror polished


BSPP FEMALE THREAD

Part#	Size	Threaded Size (C)	ØA	ØB	C
		in mm			
144.000.000	½" TC	1/8"	25.4	10	25
144.000.001		¼"	25.4	10	25
144.000.002		3/8"	25.4	10	25
144.000.003		½"	25.4	10	30
144.000.004		¾"	25.4	10	30
144.000.005	¾" TC	1/8"	25.4	16	25
144.000.006		¼"	25.4	16	25
144.000.007		3/8"	25.4	16	25
144.000.008		½"	25.4	16	30
144.000.009		¾"	25.4	16	30
144.000.010		1"	50.4	16	40
144.000.011	1" TC	1/8"	50.4	22.1	40
144.000.012		¼"	50.4	22.1	40
144.000.013		3/8"	50.4	22.1	40
144.000.014		½"	50.4	22.1	40
144.000.015		¾"	50.4	22.1	40
144.000.016		1"	50.4	22.1	40
144.000.017	1.5" TC	1/8"	50.4	34.8	40
144.000.018		¼"	50.4	34.8	40
144.000.019		3/8"	50.4	34.8	40
144.000.020		½"	50.4	34.8	40
144.000.021		¾"	50.4	34.8	40
144.000.022		1"	50.4	34.8	40
144.000.023		1 ¼"	50.4	34.8	50
144.000.024		1 ½"	50.4	34.8	50
144.000.025	2" TC	1/8"	63.9	47.5	40
144.000.026		¼"	63.9	47.5	40
144.000.027		3/8"	63.9	47.5	40
144.000.028		½"	63.9	47.5	40
144.000.029		¾"	63.9	47.5	40
144.000.030		1"	63.9	47.5	40
144.000.031		1 ¼"	63.9	47.5	40
144.000.032		1 ½"	63.9	47.5	50
144.000.033		2"	63.9	47.5	50




BSPT FEMALE THREAD

Part#	Size	Threaded Size (C)	ØA	B	D
		in mm			
144.000.100	½" TC	1/8"	25.4	10	25
144.000.101		¼"	25.4	10	25
144.000.102		3/8"	25.4	10	25
144.000.103		½"	25.4	10	30
144.000.104		¾"	25.4	10	30
144.000.105	¾" TC	1/8"	25.4	16	25
144.000.106		¼"	25.4	16	25
144.000.107		3/8"	25.4	16	25
144.000.108		½"	25.4	16	30
144.000.109		¾"	25.4	16	30
144.000.110		1"	50.4	16	40
144.000.111	1" TC	1/8"	50.4	22.1	40
144.000.112		¼"	50.4	22.1	40
144.000.113		3/8"	50.4	22.1	40
144.000.114		½"	50.4	22.1	40
144.000.115		¾"	50.4	22.1	40
144.000.116		1"	50.4	22.1	40
144.000.117	1.5" TC	1/8"	50.4	34.8	40
144.000.118		¼"	50.4	34.8	40
144.000.119		3/8"	50.4	34.8	40
144.000.120		½"	50.4	34.8	40
144.000.121		¾"	50.4	34.8	40
144.000.122		1"	50.4	34.8	40
144.000.123		1 ¼"	50.4	34.8	50
144.000.124		1 ½"	50.4	34.8	50
144.000.125	2" TC	1/8"	63.9	47.5	40
144.000.126		¼"	63.9	47.5	40
144.000.127		3/8"	63.9	47.5	40
144.000.128		½"	63.9	47.5	40
144.000.129		¾"	63.9	47.5	40
144.000.130		1"	63.9	47.5	40
144.000.131		1 ¼"	63.9	47.5	40
144.000.132		1 ½"	63.9	47.5	50
144.000.133		2"	63.9	47.5	50



NPT FEMALE THREAD

Part#	Size	Threaded Size (C)	ØA	B	D
		in mm			
144.000.200	½" TC	1/8"	25.4	10	25
144.000.201		¼"	25.4	10	25
144.000.202		3/8"	25.4	10	25
144.000.203		½"	25.4	10	30
144.000.204		¾"	25.4	10	30
144.000.205	¾" TC	1/8"	25.4	16	25
144.000.206		¼"	25.4	16	25
144.000.207		3/8"	25.4	16	25
144.000.208		½"	25.4	16	30
144.000.209		¾"	25.4	16	30
144.000.210		1"	50.4	16	40
144.000.211	1" TC	1/8"	50.4	22.1	40
144.000.212		¼"	50.4	22.1	40
144.000.213		3/8"	50.4	22.1	40
144.000.214		½"	50.4	22.1	40
144.000.215		¾"	50.4	22.1	40
144.000.216		1"	50.4	22.1	40
144.000.217	1.5" TC	1/8"	50.4	34.8	40
144.000.218		¼"	50.4	34.8	40
144.000.219		3/8"	50.4	34.8	40
144.000.220		½"	50.4	34.8	40
144.000.221		¾"	50.4	34.8	40
144.000.222		1"	50.4	34.8	40
144.000.223		1 ¼"	50.4	34.8	50
144.000.224		1 ½"	50.4	34.8	50
144.000.225	2" TC	1/8"	63.9	47.5	40
144.000.226		¼"	63.9	47.5	40
144.000.227		3/8"	63.9	47.5	40
144.000.228		½"	63.9	47.5	40
144.000.229		¾"	63.9	47.5	40
144.000.230		1"	63.9	47.5	40
144.000.231		1 ¼"	63.9	47.5	40
144.000.232		1 ½"	63.9	47.5	50
144.000.233		2"	63.9	47.5	50



All dimensions are in mm. unless and otherwise specified. The information contained in this brochure is for guidance only. We reserve the right to modify any material or feature without notice in advance. For further information, please, consult our application specialist.

Filename: 144_Trclamp_female_adaptor
Directory: C:\Users\user\Documents
Template: C:\Users\user\AppData\Roaming\Microsoft\Templates\Normal.dot
m
Title:
Subject:
Author: user
Keywords:
Comments:
Creation Date: 21-01-2014 23:11:00
Change Number: 6
Last Saved On: 04-07-2014 06:36:00
Last Saved By: user
Total Editing Time: 76 Minutes
Last Printed On: 04-07-2014 06:38:00
As of Last Complete Printing
Number of Pages: 3
Number of Words: 591 (approx.)
Number of Characters: 3,375 (approx.)